Sanitized Copy Approved for Release 2011/09/02 : CIA-RDP80-00809A000700170043-4

STAT

Page Denied

Sanitized Copy Approved for Release 2011/09/02 : CIA-RDP80-00809A000700170043-4

Sanitized Copy Approved for Release 2011/09/02 : CIA-RDP80-00809A000700170043-4

STAT



NATURAL DISTRIBUTION OF TREES IN CHINA

Hsiao Kuei-mo Tsao-lin-fa (Small-Scale Forestry)
Shanghai, 1949

Li Hsiang-fu

The principal useful trees, native to the various areas of China, include the following:

1. Southern Kwantung (part of Taiwan has the same types of trees)

Cocos nucifera (Coconut)
Areca catechu (Betel palm)
Hevea brasiliensis
Ficus (Fig)
Mangifera indica (Mango)
Secu.idaca
Pinus Markusii
Podacarpus
Pandanus
Jatropha curcas
Piper
Tectona grandis
Dacrydium Beccarii
Pinus morrisoricala (Taiwan pine)

2. South China (including part of Yunnan, part of Kwangsi, the southern parts of Hunan and Kiangsi, Fukien, Taiwan, northern Kwangtung and southern Chekiang)

Fokienia Hodginsii
Cinnamomum camphora
Gynocardia odarata
Canarium album
Citrus nobilis
Euphorbia pekinensis
Theaceae
Amentotaxus argotaenia
Pseudolarix Kaempferii
Glyptostrobus heterophyllus
Taiwania cryptomerioides
Lithocarpus
Anona squamosa
Bombax malabaricum
Bruguiera gymnorrhiza
Miscanthus sinensis
Dacrydium elatum
Pinus Massoniana
Keteleeria Fortunei
Cryptomeria japonica

3. Central China

Pinus Massoniana
Eucomia ulmoides
Rhus vernificera
Catalpa vestita
Acer (maple)
Grewia parviflora
Cephalotaxus drupacea
Torreya
Pterocarya stenoptera
Magnolia
Paulownia tomentosa
Cryptomeria japonica
Aesculus Wilsonii
Idesia polycarpa
Sterculia platanifolia
Paliurces ramossimus
Gingko biloba
Pinus amandii
Cercidophyllum

Sanitized Copy Approved for Release 2011/09/02 : CIA-RDP80-00809A000700170043-4

Sanitized Copy Approved for Release 2011/09/02 : CIA-RDP80-00809A000700170043-4

STAT



4. North China

Pinus tabulaeformis
Larix pricipis-Ruprechtii
Celtis bungeana
Acer pictum
Chamaecyparis obtusa
Broussonetia
Tilia
Paulownia
Pinus bungeana
Populus tomentosa
Acer truncatum
Zelkowa
Juglans
Syringa
Catalpa

5. The Northeast (including the Sungari River basin, the Chang-kuang-ts'ai Ling and the Yen-hsing Shan)

Abies hollophylla
Acer mandschuricum
Acer triflorum
Populus Maximowiczii
Acer barbinerve
Acer tegmentosum
Pinus koraiensis
Celtis koraiensis
Larix principis-Ruprechtii
Picea Schrenkiana
Abies Fargesii
Pteroceltis
Betula
Carpinus
Alnus
Maackia
Abelia
Picea ajanensis
Picea ezoensis
Picea obovata
Larix davurica
Taxus baccatalatifolia
Ulmus macrocarpa
Pinus pumila
Juglans mandschurica
Larix Sibirica
Picea Wilsonii
Cupressus tortulosa
Quercus
Ulmus
Ulmus laciniata
Cotinus
Broussonetia
Tamarix

6. Yunnan-Kweichow area

Larix Griffithii
Pseudotsuga Forestii
Keteleeria Evelyniana
Pinus yunnanensis
Fokienia Kawaii
Picea likiangensis
Abies Delavayi
Podocarpus
Pistacia
Ehretia
Ficus
Libocedrus
Erythrina
Mallotus
Cinnamomum
Camellia
Larix Potaninii
Pseudotsuga Chinensis
Tsuga yunnanensis
Cupressus Duclouxiana
Cryptomeria Kawaii
Abies Beissneriana
Catalpa
Halesia
Schima
Capparis
Magnolia
Bombax malabaricum
Lithocarpus
Castanopsis
Lindera

- E N D -

STAT

Sanitized Copy Approved for Release 2011/09/02 : CIA-RDP80-00809A000700170043-4